"RESPONSE UNDER 37 CFR 1.116-EXPEDITED PROCEDURE EXAMINING GROUP_2622"



Docket No.: 210291US3

Corres. and Mail
BOX AF

OBLON
SPIVAK
MCCLELIAND
MAIER
A
NEUSTADT
BC.

ATTORNEYS AT LAW

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

RE: Application Serial No.: 09/888,599

Applicants: Tatsuya TSUYUKI

Filing Date: June 26, 2001

For: FIXING STRUCTURE FOR SOLID STATE IMAGE FORMING DEVICE, IMAGE DATA INPUT UNIT

AND IMAGE DATA INPUT APPARATUS

INCLUDING THE SAME

Group Art Unit: 2622 Examiner: Gibbs, H. D.

SIR:

Attached hereto for filing are the following papers:

Amendment

Letter Submitting Replacement Drawing Sheet(s) Replacement Drawing Sheets (3)

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,

Sunch Sacher

MAIER & NEUSTADT, P.C.

Gregory J. Maier

Registration No. 25,599

Customer Number

22850

(703) 413-3000 (phone) (703) 413-2220 (fax) Surinder Sachar

Registration No. 34,423

1940 DUKE STREET ALEXANDRIA, VIRGINIA 22314 U.S.A. TELEPHONE: 703-413-3000 FACSIMILE: 703-413-2220 WWW.OBLON.COM

EOCKET NO: 210291US3

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

TATSUYA TSUYUKI : EXAMINER: GIBBS, H. D.

SERIAL NO: 09/888,599

FILED: JUNE 26, 2001 : GROUP ART UNIT: 2622

FOR: FIXING STRUCTURE FOR SOLID STATE IMAGE FORMING DEVICE, IMAGE DATA INPUT UNIT AND IMAGE DATA INPUT APPARATUS INCLUDING THE SAME

AMENDMENT

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action dated June 15, 2005, please amend the aboveidentified application as follows:

Amendments to the Drawings begin on page 2 of this paper and include three attached replacement sheets.

Remarks/Arguments begin on page 3 of this paper.